

	Type	Hits	Search Text	Dbs	Time Stamp	Comments
1	BRS	3943	382/162,165,167,194,221,274.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 12:30	
2	BRS	3891	345/419,543,556,589,614,625.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:00	
3	BRS	1597	702/117,189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:01	
4	BRS	75	test\$3 with video\$1 with card\$1 with display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:02	
5	BRS	0	test\$3 with video\$1 with card\$1 with display\$3 and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:03	
6	BRS	18	test\$3 with video\$1 with display\$3 and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/03/17 13:09	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	1	("345"/\$.ccls. and "382"/\$.ccls.) and test\$3 with video\$1 with display\$3 and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:04	
8	BRS	5	("345"/\$.ccls. or "382"/\$.ccls.) and test\$3 with video\$1 with display\$3 and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:04	
9	BRS	32	test\$3 with video\$1 with display\$3 and rotat\$6 same (3d or 3-d or three-dimension\$2 or three adj dimension\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:12	
10	BRS	4358	rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
11	BRS	182	rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1 with display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:13	
12	BRS	0	test\$3 with rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1 with display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:14	
13	BRS	0	test\$3 same rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1 with display\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:14	
14	BRS	6	test\$3 same rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:16	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	2	test\$3 with imag\$3 with (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3) and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:19	
16	BRS	2	test\$3 with imag\$3 with (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three- dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:19	
17	BRS	2	test\$3 with imag\$3 with (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three- dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	199	imag\$3 with (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:21	
19	BRS	69	("345"/\$.cccls. or "382"/\$.cccls.) and imag\$3 with (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:22	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
20	BRS	1	("345"/\$.cccls. or "382"/\$.cccls.) and imag\$3 with (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1 and video\$1 with card\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:28	
21	BRS	2	imag\$3 with (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1 and video\$1 with card\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:29	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
22	BRS	0	test\$3 with (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1 and video\$1 with card\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:29	
23	BRS	0	test\$3 same (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 with computer\$1 and video\$1 with card\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
24	BRS	1	test\$3 same (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 same computer\$1 and video\$1 with card\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:30	
25	BRS	2	video\$1 with test\$3 same (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2) with imag\$3 same computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:31	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
			video\$1 with test\$3 and (fail\$3 or malfunction\$2 or fault\$1 or problem\$1 or error\$1 or anomal\$3 or defect\$1) and rotat\$6 with (3d or 3-d or three- dimension\$2 or three adj dimension\$2) with imag\$3 same computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:37	
26	BRS	5				
27	IS&R	2	("6591010").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/03/17 13:34	
28	BRS	6	test\$3 with rotat\$6 with (3d or 3-d or three- dimension\$2 or three adj dimension\$2) with imag\$3 same computer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/04/01 11:48	
29	BRS	2	"20040227751"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/04/01 11:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	9	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test\$3 with video\$1 with card\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 14:09	
31	BRS	11	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test\$3 same video\$1 with card\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 14:09	
32	BRS	36	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test\$3 with display\$3 and video\$1 with card\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/05/23 14:10	
33	BRS	17	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test\$3 with display\$3 and video\$1 with card\$1	US-PGPUB	2006/05/23 14:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	576	test\$3 with display\$3 and video\$1 with card\$1	US-PGPUB	2006/05/23 14:11	
35	BRS	16	test\$3 with display\$3 and video\$1 with card\$1 and rotat\$6 with (3d or 3-d or three-dimension\$2 or three adj dimension\$2)	US-PGPUB	2006/05/23 14:11	
36	BRS	0	(702/117,189.ccls. or 382/162,165,167,194,221,27 4.ccls. or 345/419,543,556,589,614,62 5.ccls.) and test\$3 with display\$3 and video\$1 with card\$1 and rotat\$6 with (3d or 3-d or three- dimension\$2 or three adj dimension\$2)	US-PGPUB	2006/05/23 14:12	

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
1			US 2005019018 0 A1	20050901	22	Stereoscopic display system with flexible rendering of disparity map according to the stereoscopic fusing capability of the observer	345/419		345/419
2	X		US 2005010797 4 A1	20050519		Method for testing displays	702/113	702/117; 702/123; 702/126	702/117
3	X		US 2005004103 2 A1	20050224	21	System and method for optimizing a graphics intensive software program for the user's graphics hardware	345/556		345/556
4	X		US 2004025830 0 A1	20041223	26	System and method for minimizing display image size by approximating pixel display attributes	382/162		382/162
5	X		US 2004020762 1 A1	20041021		Dynamic tree-node property page extensions	345/419		345/419

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
6	X		US 2004015136 1 A1	20040805		Method and apparatus for testing the quality of reclaimable waste paper matter containing contaminants	382/141	382/165; 382/168	382/165
7	X		US 2004000820 8 A1	20040115		Quality of displayed images with user preference information	345/589		345/589
8	X		US 2003023320 7 A1	20031218		Apparatus and method for testing a computer system by utilizing FPGA and programmable memory module	702/117		702/117
9	X		US 2003020617 9 A1	20031106		Compensating for the chromatic distortion of displayed images	345/589		345/589
10	X		US 2003013360 9 A1	20030717		Color correction control graphical user interface	382/167		382/167
11	X		US 2003010367 0 A1	20030605		Interactive images	382/162	382/276	382/162

	U	1	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval Classif
12	X		US 2003010305 7 A1	20030605		Method and apparatus for color correction	345/589		345/589
13	X		US 2002009350 5 A1	20020718	21	System and method for optimizing a graphics intensive software program for the user's graphics hardware	345/543		345/543
14	X		US 2002008016 8 A1	20020627		Method and system for improved internet color	715/744	345/589	345/589
15	X		US 2002004128 7 A1	20020411		Method and system for characterizing color display monitor output	345/589		345/589
16	X		US 2002001200 4 A1	20020131		Blending the edges of multiple overlapping screen images	345/589		345/589
17	X		US 2001005324 7 A1	20011220		Plurality of picture appearance choices from a color photographic recording material intended for scanning	382/162		382/162